

Updated November 2016



Sibell Series IP CAMERAS 2MP IP Cameras



IPOD-SB2IR

2MP FIXED LENS INDOOR/OUTDOOR IP DOME

•2 Mega Pixel 1080P (1920 x 1080), Max. Resolution: 1920 x 1080

• 32 ~ 65 feet IR night view distance

• 3D DNR, digital WDR. Supports smart analysis and abnomal video movement, and ROI coding

• Supports smart phone, iPad, remote monitoring

- Supports PoE
- •IP66 Weather Rating
- Audio: Mic In 1x



Weight: .72 lb Mounts WM-SB-ED + JB-SB-BR, JB-SB-VDR, JB-SB-ODR

4MP IP Cameras



IPOD-SB4IR 4MP FIXED LENS INDOOR/OUTDOOR IP DOME CAMERA WITH IR

4 Mega Pixel (2560 x 1440)
32 ~ 65 feet IR night view distance
H.265 Video Encoding
3D DNR, digital WDR, and ROI coding
Supports smart phone, iPad, remote monitoring and PoE
IP66 Weather Rating
Audio: Mic In 1x



Weight: .95 lb Mounts WM-SB-ED + JB-SB-BR, JB-SB-VDR, JB-SB-ODR



IPOB-SB2IR 2MP FIXED LENS INDOOR/OUTDOOR IP BULLET

CAMERA WITH IR

- •2 Mega Pixel 1080P (1920 x 1080), Max. Resolution: 1920 x 1080 •65 ~ 95 feet IR night view distance
- 3D DNR, digital WDR. Supports smart analysis and abnomal video movement, and ROI coding
- Supports smart phone, iPad, remote monitoring
- Supports PoE
- •IP66 Weather Rating
- Audio: Mic In 1x



Weight: 1.34 lb Mounts JB-SB-BR, JB-SB-ODR



IPVD-SB4IR 4MP FIXED LENS INDOOR/OUTDOOR IP VANDAL DOME WITH IR

•4 Mega Pixel (2560 x 1440)

- •30 ~ 65 feet IR night view distance
- •H.265 Video Encoding
- •IP66 & IK10 ingress protection
- •Supports smart phone, iPad, remote monitoring and PoE
- •IP66 Weather Rating
- Audio: Mic In 1x



Weight: 2.3 lb Mounts JB-SB-UNIR



IPOB-SB4IR 4MP FIXED LENS INDOOR/OUTDOOR IP BULLET CAMERA WITH IR

•4 Mega Pixel (2560 x 1440) Max: 2560 x 1440

•65 ~ 95 feet IR night view distance

•H.265 Video Encoding

•3D DNR, digital WDR, and ROI coding

•Supports smart phone, iPad, remote monitoring, and supports PoE •IP66 Weather Rating

• Audio: Mic In 1x



Weight: 2.3 lb Mounts JB-SB-BR, JB-SB-ODR



IPOB-SB5IRVA 5MP FIXED LENS INDOOR/OUTDOOR IP BULLET CAMERA WITH VARIFOCAL LENS AND IR

•5 Mega Pixel (2592 x 1944)

•3.6~10mm Lens

•95 ~ 160 feet IR night view distance

•3D DNR, digital WDR, and ROI coding

•Supports smart phone, iPad, remote monitoring, and supports PoE •IP66 Weather Rating

• Audio: Mic In 1x, Mic Out 1x



Weight: 2.5 lb Mounts JB-SB-UNIR, JB-SB-BR, JB-SB-ODR

5MP IP Cameras



WITH IR

IPVD-SB5IRVA

5MP FIXED LENS INDOOR/OUTDOOR VANDAL DOME

•5 Mega Pixel (2592 x 1944)

•3.6~10mm Lens

•65 ~ 98 feet IR night view distance

•3D DNR, digital WDR, and ROI coding

•Supports smart phone, iPad, remote monitoring, and supports PoE •IP66 Weather Rating

• Audio: Mic In 1x, Mic Out 1x



Weight: 2.3 lb Mounts WM-SB-VD, JB-SB-VDR



Sibell PTZ Cameras



3MP FIXED LENS INDOOR/OUTDOOR IP PTZ CAMERA WITH IR and 20X ZOOM

•3 Mega Pixel (2048 x 1536 @25/30fps) •Starlight feature with 325 feet IR night view distance

•Supports select area amplification and PTZ functions through an IP Single Line Control

•TVS 6KV lightning protection, surge protection

•Supports smart phone, iPad, remote monitoring and 24vAC Power Supply

•IP66 Weather Rating

• Audio: Mic In 1x, Mic Out 1x





IPOD-SB4IRZA 4MP INDOOR/OUTDOOR IP EYEBALL DOME CAMERA WITH MOTORIZED ZOOM AND IR

4 Mega Pixel (2560 x 1440)
3.3-12mm Motorized Zoom Lens
65 ~ 95 feet IR night view distance
3D DNR, digital WDR, and ROI coding
Supports smart phone, iPad, remote monitoring and PoE
IP66 Weather Rating

• Audio: Mic In 1x



Weight: .64 lb Mounts WM-SB-ED + JB-SB-BR, JB-SB-ODR, JB-SB-VDR, JB-SB-BR



IPOB-SB4IRZA 4MP INDOOR/OUTDOOR IP BULLET CAMERA WITH MOTORIZED ZOOM AND IR

•4 Mega Pixel (2560 x 1440)

•3.3~12mm Motorized Zoom

•98 ~ 160 feet IR night view distance

• 3D DNR, digital WDR, and ROI coding

•Supports smart phone, iPad, remote monitoring, and supports PoE •IP66 Weather Rating

• Audio: Mic In 1x, Mic Out 1x



Weight: 2.5 lb Mounts JB-SB-UNIR, JB-SB-BR, JB-SB-ODR



•4 Mega Pixel (2560 x 1440)

- •3.3~12mm Motorized Zoom
- •65 ~ 98 feet IR night view distance
- •3D DNR, digital WDR, and ROI coding
- •Supports smart phone, iPad, remote monitoring and PoE
- •IP66 Weather Rating
- Audio: Mic In 1x, Mic Out 1x



Weight: 2.3 lb Mounts WM-SB-VD, JB-SB-VDR

Sibell Series NVRs 4 CHANNEL NVRs



NVR-SB4ME-4P

4 CHANNEL SIBELL NVR WITH POE WITH 1 HARD DRIVE BAY

• Supports 4ch 5MP / 4MP / 3MP / 1080P / 960P / 720P@25 / 30fps

- H.265 high profile compression format
- Recording Modes in Manual, motion, sensor or timer
- Mobile Viewing Via Sibell Mobile App on IOS & Android
- Remote Monitoring via Browser or CMS

•Rack: 1U



Weight: Coming Soon Hard Drive Options on pg. 34

8 CHANNEL NVRs



NVR-SB8ME-8P

8 CHANNEL SIBELL NVR WITH POE WITH 1 HARD DRIVE BAY

• Supports 8ch 5MP / 4MP / 3MP / 1080P / 960P / 720P@25 / 30fps

- H.265 high profile compression format
- Recording Modes in Manual, motion, sensor or timer
- Mobile Viewing Via Sibell Mobile App on IOS & Android
- •8 PoE ports for Direct camera connection & power •Rack: 1U



Weight: Coming Soon Hard Drive Options on pg. 34

32 CHANNEL NVRs



32 CHANNEL SIBELL NVR WITH 2 HARD DRIVE BAYS

•Supports 32ch 5MP / 4MP / 3MP / 1080P / 960P / 720P@25 / 30fps

• 16 ch Simultaneous playback

- Recording Modes in Manual, motion, sensor or timer
- Remote Monitoring via Browser or CMS
- Mobile Viewing Via Sibell Mobile App on IOS & Android
 Rack: 1U



Weight: Coming Soon Hard Drive Options on pg. 34

16 CHANNEL NVRs



16 CHANNEL SIBELL NVR WITH 1 HARD DRIVE BAY

• Supports 16ch 5MP / 4MP / 3MP / 1080P / 960P / 720P@25 / 30fps

- H.265 high profile compression format
- Recording Modes in Manual, motion, sensor or timer
- Mobile Viewing Via Sibell Mobile App on IOS & Android
- Remote Monitoring via Browser or CMS
- •Rack: 1U



Weight: Coming Soon Hard Drive Options on pg. 34



NVR-SB32 32 CHANNEL SIBELL NVR WITH 8 HARD DRIVE BAYS

- Supports 32ch 5MP / 4MP / 3MP / 1080P / 960P / 720P@25 / 30fps
- 16 ch Simultaneous playback
- Recording Modes in Manual, motion, sensor or timer
- Remote Monitoring via Browser or CMS
- Mobile Viewing Via Sibell Mobile App on IOS & Android
 Rack: 2U



Hard Drive Options on pg. 34



NVR-SB32-16P 32 CHANNEL SIBELL NVR WITH 16 PORTS POE WITH 8 HARD DRIVE BAYS

• Supports 32ch 5MP / 4MP / 3MP / 1080P / 960P / 720P@25 / 30fp

- Supports 16 PoE Ports for connection and power
- Recording Modes in Manual, motion, sensor or timer
- Remote Monitoring via Browser or CMS
- Mobile Viewing Via Sibell Mobile App on IOS & Android •Rack: 2U



Weight: Coming Soon Hard Drive Options on pg. 34

Sibell Series TVI CAMERAS 1MP SIBELL TVI CAMERAS



WITH IR

TVIOD-SB1IRE

1MP FIXED LENS INDOOR/OUTDOOR DOME CAMERA

- 1 Mega Pixel 720P (1280 x 720)
- 3.6mm Fixed Lens
- 65 feet of IR night view distance
- TVI High Definition Over Coaxial Cable
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: .99 lb Mounts: JB-SB200-L

64 CHANNEL NVRs



NVR-SB64

64 CHANNEL SIBELL NVR WITH 8 HARD DRIVE BAYS

• Supports 64ch 5MP / 4MP / 3MP / 1080P / 960P / 720P@25 / 30fps

- 16 ch Simultaneous playback
- Recording Modes in Manual, motion, sensor or timer
- Remote Monitoring via Browser or CMS
- Mobile Viewing Via Sibell Mobile App on IOS & Android
- •Rack: 2U



Weight: Coming Soon Hard Drive Options on pg. 34



TVIOB-SB1IRE

1MP FIXED LENS INDOOR/OUTDOOR BULLET CAMERA WITH IR

- 1 Mega Pixel 720P
- 3.6mm Fixed Lens
- 65 feet of IR night view distance
- TVI High Definition Over Coaxial Cable
- 12vDC Power Supply
- •IP66 Weather Rating







AND IR

2MP SIBELL TVI MOTORIZED ZOOM CAMERAS **TVIOD-SB2IRZW**

2MP TVI VANDAL DOME WITH MOTORIZED ZOOM AND IR

- 2 Mega Pixel 1080P (1920 x 1080)
- Max. Resolution: 1920 x 1080
- 2.8-12mm Motorized Zoom
- 95 ~ 130 feet IR night view distance
- 12vDC Power Supply
- •IP66 Weather Rating




Weight: Coming Soon Mounts WM-SBODS-C, WM-SBODL-C, PM-SBODL-C, PM-SBODS-C, JB-SBOD-C



TVIOB-SB2IRZW 2MP INDOOR/OUTDOOR TVI BULLET CAMERA WITH MOTORIZED ZOOM AND IR

- 2 Mega Pixel 1080P (1920 x 1080)
- Max. Resolution: 1920 x 1080
- 2.8-12mm Motorized Zoom
- 80 ~ 95 feet IR night view distance
- 12vDC Power Supply
- •IP66 Weather Rating





TVIVD-SB2IRZW 2MP TVI VANDAL DOME WITH MOTORIZED ZOOM

- 2 Mega Pixel 1080P (1920 x 1080)
- Max. Resolution: 1920 x 1080
- 2.8-12mm Motorized Zoom
- 80 ~ 95 feet IR night view distance
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: Coming Soon Mounts WM-SBVD-C



ZOOM AND IR

2MP SIBELL TVI PTZ CAMERAS

TVIPTZ-SB2IR18XE

- 2MP INDOOR/OUTDOOR TVI PTZ WITH OPTICAL
- 2 Mega Pixel 1080P (1920 x 1080)
- 18X Optical Zoom
- 390 feet of IR night view distance
- TVI High Definition Over Coaxial Cable
- 12vDC/3A Power Supply
- •IP66 Weather Rating



Weight: Coming Soon Mounts: PM-SB790-L, CM-SB780-L



ZOOM AND IR

TVIPTZ-SB2IR18XME 2MP INDOOR/OUTDOOR TVI PTZ WITH 18X OPTICAL

- 2 Mega Pixel 1080P (1920 x 1080)
- 18X Optical Zoom
- 195 feet of IR night view distance
- TVI High Definition Over Coaxial Cable
- 12vDC/3A Power Supply
- IP66 Weather Rating



Weight: 5.52 lbs Mounts: PM-SB790-L, CM-SB780-L



HDOB-SB2IRW 2MP FIXED LENS INDOOR/OUTDOOR BULLET CAMERA WITH IR

- 2 Mega Pixel (1920x1080)
- 3.6mm Fixed Lens
- 65 feet of IR night view distance
- TVI, AHD, CVI, & Analog Outputs
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: 1.54 lb

SiBell Series MULTI-PROTOCOL CAMERAS 2MP SIBELL QUADBRID CAMERAS

HDOD-SB2IRW

2MP FIXED LENS INDOOR/OUTDOOR DOME CAMERA WITH IR

- 2 Mega Pixel (1920x1080)
- 3.6mm Fixed Lens
- 65 feet of IR night view distance
- TVI, AHD, CVI, & Analog Outputs
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: .99 lb Mounts: JB-SB200-L



HDOB-SB2IR550B

2MP BULLET CAMERA WITH MANUAL ZOOM AND IR (BLACK)

- 2 Mega Pixel 1080P (1920 x 1080)
- Max. Resolution: 1920 x 1080
- 5-50mm Manual Zoom
- •up to 80M of IR
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: Coming Soon



HDVD-SB2IR28 2MP FIXED LENS VANDAL DOME WITH IR

- 2 Mega Pixel 1080P (1920 x 1080)
- Max. Resolution: 1920 x 1080
- 2.8mm Lens

New

- •up to 65 feet of IR
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: Coming Soon



HDOB-SB2IRVW 2MP IR VARIFOCAL TVI/AHD/CVI/ANALOG BULLET

- 2 Mega Pixel (1920x1080)
- 2.8-12mm varifocal lens
- up to 131 feet of IR
- TVI, AHD, CVI, & Analog Outputs
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: 3.09 lbs Mounts: JB-SB200-L

2MP SIBELL QUADBRID MOTORIZED ZOOM CAMERAS HDOD-SB2IRVW

2MP IR VARIFOCAL TVI/AHD/CVI/ANALOG DOME

- 2 Mega Pixel (1920x1080)
- 2.8-12mm varifocal lens
- up to 98 feet of IR
- TVI, AHD, CVI, & Analog Outputs
- 12vDC Power Supply
- •IP66 Weather Rating




Weight: 1.76 lb Mounts: WM-SB100-L



HDID-SB2IRZW (formerly ELI-ACVI-VD-32MR) 2MP VANDALPROOF EYEBALL DOME WITH MOTORIZED ZOOM AND IR (WHITE)

- 2 Mega Pixel 1080P (1920 x 1080)
- Max. Resolution: 1920 x 1080
- 2.8-12mm Motorized Zoom
- •up to 98 feet of IR
- 12vDC Power Supply
- •IP66 Weather Rating







HDOB-SB2IRZW 2MP WEATHERPROOF BULLET WITH MOTORIZED ZOOM AND IR (WHITE)

• 2 Mega Pixel 1080P (1920 x 1080)

- Max. Resolution: 1920 x 1080
- 2.8-12mm Motorized Zoom
- •up to 98 feet of IR
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: Coming Soon



HDOD-SB2IRZW (formerly ELI-ACVI-ED21-312MR) 2MP WEATHERPROOF EYEBALL DOME WITH MOTORIZED ZOOM AND IR (WHITE)

- 2 Mega Pixel 1080P (1920 x 1080)
- Max. Resolution: 1920 x 1080
- 2.8-12mm Motorized Zoom
- •up to 98 feet of IR
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: Coming Soon Mounts WM-SBODS-C, WM-SBODL-C, PM-SBODL-C, PM-SBODS-C, JB-SBOD-C

HDOD-SB2IRZB (formerly ELI-ACVI-ED21-312MR-B) 2MP WEATHERPROOF DOME WITH MOTORIZED ZOOM AND IR (BLACK)

- 2 Mega Pixel 1080P (1920 x 1080)
- Max. Resolution: 1920 x 1080
- 2.8-12mm Motorized Zoom
- •up to 98 feet of IR
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: Coming Soon Mounts WM-SBODS-C, WM-SBODL-C, PM-SBODL-C, PM-SBODS-C, JB-SBOD-C



HDVD-SB2IRZW

2MP WEATHERPROOF VANDAL DOME WITH MOTORIZED ZOOM AND IR (WHITE)

- 2 Mega Pixel 1080P (1920 x 1080)
- Max. Resolution: 1920 x 1080
- 2.8-12mm Motorized Zoom
- •up to 98 feet of IR
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: Coming Soon Mounts WM-SBVD-C



HDOB-SB2IRZB 2MP WEATHERPROOF BULLET CAMERA WITH MOTORIZED ZOOM AND IR

- 2 Mega Pixel 1080P (1920 x 1080)
- Max. Resolution: 1920 x 1080
- 2.8-12mm Motorized Zoom
- •up to 98 feet of IR
- 12vDC Power Supply
- •IP66 Weather Rating



Weight: Coming Soon

8 CHANNEL QUADBRIDS



QDVR-SBE8ME

8 CHANNEL SIBELL QUADBRID RECORDER WITH 1 HARD DRIVE BAY

• 8ch 1080P@12fps, 720P@30fps, 960H, D1 input

•8ch TVI/AHD/Analog and 1 additional IP input

•8 channels of playback

• Recording Modes in Manual, motion, sensor or timer

•Remote Monitoring via Browser or CMS and Mobile Viewing Via Sibell Mobile App on IOS & Android

•Rack: 1U



Weight: Coming Soon Hard Drive Options on pg. 34

Sibell Series QUADBRID RECORDERS 4 CHANNEL QUADBRIDS

QDVR-SBE4ME

4 CHANNEL SIBELL QUADBRID RECORDER WITH 1

- 4ch 1080P@12fps, 720P@30fps, 960H, D1 input
 4ch TVI/AHD/Analog and 1 additional IP input
- 4 channels of playback
- Recording Modes in Manual, motion, sensor or timer

•Remote Monitoring via Browser or CMS and Mobile Viewing Via Sibell Mobile App on IOS & Android

•Rack: 1U



Weight: Coming Soon Hard Drive Options on pg. 34

16 CHANNEL QUADBRIDS



QDVR-SBE16M

16 CHANNEL SIBELL QUADBRID RECORDER WITH 2 HARD DRIVE BAYS

- 16ch 1080P@12fps, 720P@30fps, 960H, D1
 16ch TVI/AHD/Analog and 4 additional IP intput
- •8 channel playback
- Recording Modes in Manual, motion, sensor or timer

•Remote Monitoring via Browser or CMS and Mobile Viewing Via Sibell Mobile App on IOS & Android

•Rack: 1U



Weight: Coming Soon Hard Drive Options on pg. 34



QDVR-SBE16 16 CHANNEL SIBELL QUADBRID RECORDER WITH 8 HARD DRIVE BAYS

• 16ch 108oP/72oP/96oH/D1 (30fps)

•16ch TVI/AHD/Analog and 8 additional IP input

- •16 channels of playback
- Recording Modes in Manual, motion, sensor or timer

•Remote Monitoring via Browser or CMS and Mobile Viewing Via Sibell Mobile App on IOS & Android

•Rack: 2U



Weight: Coming Soon Hard Drive Options on pg. 34

Sibell Series Accessories



PTZ-SBKEYBOARD PTZ KEYBOARD CONTROLLER

- Change protocal and baud rate using keyboard
- Update firmware using keyboard
- One key to retrieve protocol and baud rate
- Control all parameters via control key operations





QDVR-SBE32

32 CHANNEL SIBELL TRIBRID RECORDER WITH 8

HARD DRIVE BAYS

• 32ch 1080P@25 / 30fps, 720P@25 / 30 / 50 / 60fps, WD1, D1 input

- •32ch TVI/AHD/Analog and 8 channels of playback
- Recording Modes in Manual, motion, sensor or timer
- Remote Monitoring via Browser or CMS

•Mobile Viewing Via Sibell Mobile App on IOS & Android •Rack: 2U



Weight: Coming Soon Hard Drive Options on pg. 34



Weight: Coming Soon